



◆ SPECIFICATION

Model NO.	VK01
Package	
Repeater	1pcs
Camera	4pcs
Cable	1 x 1m Net Cable
Mouse	/
Adaptor	1xDC 5V 1A for Repeater, 4xDC 12V 1A for WIFI IP Camera
Camera	
Image Sensor	1/2.9"COMS sensor
Resolution	2MP 1080P
Effective Pixels	1920(H)*1080(V)
Compression	H.264/H.265
TV System	PAL
Electronic Shutter Time	Auto (1 / 12s~1 / 100000s)
S/N Ratio	40dB
Scanning System	Progressive
Video Output	Wireless network
Reset Button	Yes
LENS Type	
Focus Length	200W_2.8mm Super wide-angle lens
Focus Control	Fixed
Lens Type	Fixed
Pixels	2M Pixels
Night Vision	

Infrared LED	24μ x 4PCS
Infrared Distance	5~10M
IR Status	Auto Control
IR Power On	Auto Control
Network	
Ethernet	RJ-45 (10/100Base-T)
Protocol	TCP/IP、UDP、HTTP、DDNS、DHCP、FTP、NTP
ONVIF	Support
P2P	Support
POE	/
Main Stream 1	1920*1080@12fps
Main Stream 2	/
Main Stream 3	/
Sub Stream 1	640*360@12fps
Sub Stream 2	/
Sub Stream 3	/
Tri Stream	/
IE Brower	/
Smart Phone	support
Wireless	
Antena	cameras 3dbi
	Repeater 5dbi
Hotspot	Support
Wi-Fi	Wi-Fi(IEEE802.11b/g/n)
WIFI Range	No obstacles 350m Max.
Camera Features	
Day/Night	Color/ B&W (IR-CUT)
Minimum Illumination	0.01 Lux
Image Config	YES
Corridor Pattern	/
ROI	/
Defog Mode	/
BLC	/
HDR	/
3DNR	Support

DWDR	Support
Motion Detection	Support
Privacy Masking	/
Recording Mode	SDcard
Language	/

Interface

Audio	2-Way Audio
Alarm	Motion Detection
	Personnel intrusion (Optional)
SD Card Slot	Support Max 128G
RS485	/

General

Housing	plastic , IP65
Bracket	Support
IR Cut Filter	YES
Operation Temperature	-10℃ ~ +50℃ RH95% Max
Storage Temperature	-20℃ ~ +60℃ RH95% Max
Camera size	230(W)x130(H)x110(D)mm
Packing for the outer	270(W) x 238(H) x 283(D)mm
Weight	5.6kg/SET

Cantonk (guangzhou) Corporation Limited

Add. :2#BUILDING,NO.728 KAICHUANG AVE.,ECONOMIC&TECHNOGICAL DEVELOPMENT ZONE,HUANGPU DISTRICT,GUANGZHOU,CHINA

Tel. No.: +86 20 66217288 Fax No.: +86 20 66217166 Homepage: <http://www.cantonk.com> Email: info@cantonk.com